
Motor system with flexible shaft





# Premium **PLUS**

- Minimised noise emission
- The most powerful joke motor of all time
- Compatible with accessories from the previous generation
- Flexible shafts with silicon hose







#### jokeFlex Premium Plus motor system

Our flexible shaft system for today and the future. The core is the motor with an impressive 1,000 watts power. The noise level is reduced to a pleasant level in spite of increased power. The motor can be used in a hanging or lying position. Thanks to the robust construction of the suspension and shaft connection, it is optimally equipped for a hard day's work.

The matching joke Premium Plus handpieces fulfill all requirements which are expected of a modern handpiece. They lie comfortably and securely in the hand, muffle vibrations effectively and tire the worker's hand over long working periods. This is achieved by the uniformly narrow handle made of special rubber which is used in all handpieces. At least equally important: the inside. And also here high tech is the key. The handpieces are very robust and have a closed double bearing inside. The result is extremely quiet-running operation. Further advantages of the Premium Plus hand-pieces: changing the tool in seconds, without pinning.

The joke Premium Plus handpieces are available in a straight design or with a 90° angle head. The handpieces are of course also available in Rapid-Change design which connects to the motor system in a second. A closer look at the angle handpiece is worth-while: the slim, almost filigree head gives you the opportunity of reaching and processing even otherwise difficult to access areas of the workpiece.

jokeFlex Premium Plus

Motor system with flexible shaft





















































jokeFlex Premium Plus Order No. 0 016 550

Motor

Foot control **Premium** 



Order No. 0 016 600 o





Handpiece joke Premium Plus Order No. 0 030 200 **Collet Typ GH** 

Angle-handpiece joke Premium Plus Order No. 0 030 250 **Collet Typ WH** 

Technical handpiece

Order No. 0 030 004 **Collet Typ GH** 

Angle-handpiece VTN-N 90° Order No. 0 031 341

**Collet Typ WH** 

Angle-handpiece VTN-S/N

**Collet Typ GH** 

TH-M II

Order No. 0 031 540

Rapid-chuck handpiece

Order No. 0 030 640

**Collet Typ TH** 

THSZ/N





Flexible shafts

**Premium Plus** 

Spring clip 1.1 m Order No. 0 015 800

Rapid-Change 1.1 m

Order No. 0 015 900 Quick-change motor connection

Spring clip 1.1 m

Order No. 0 016 800

Rapid-Change 1.1 m

Order No. 0 016 900

Standard motor connection



Quick coupling system joke Rapid-Change Coupling piece Order No. 0 015 250 Connector plugs for handpieces see from page 64!



Suspension device, clamp-on Order No. 0 020 200 0 ......



**Hand-filing machines DIPROFIL®** Di-Pro FXK-N, Mark II Order No. 0 001 503-N



**Hand-filing machines DIPROFIL®** FPK/R, Mark II Order No. 0 005 151-N



**Motor Connection & Coupling System** 

**Motor system & Equipment** 









## **Motor system with flexible shaft** jokeFlex Premium Plus

#### **Premium Plus flexible shafts**


The Premium Plus flexible shafts are consistently optimised to suit everyday requirements in industry. The silicone hose offers many advantages:

- utmost flexibility and suppleness
- extremely smooth running (owing to minimised vibrations)
- very quiet
- no heat generation

For connecting the handpieces, our flexible shafts offer you a choice between a spring clip and the joke Rapid-Change quick coupling system. This innovative system allows safe handpiece change in a few seconds without any "fumbling around". Shafts with a hook spring are also available on request.

On the motor side, a choice of shafts with standard motor connection or the joke Quick-Change "premium connection" is available.





				Price from
	Motor connection	Dimensions	Order No.	1 piece
Flexible shaft with Rapid-Change coupling				
	Standard	1,100 mm	0 015 900	226.00 €
	Quick-Change	1,100 mm	0 016 900	232.00 €
Flexible shaft with spring clip				
	Standard	1,100 mm	0 015 800	197.00 €
	Quick-Change	1,100 mm	0 016 800	221.00 €



## Motor system with flexible shaft jokeFlex Premium Plus

#### jokeFlex Premium Plus motor system

Our flexible shaft system for today and the future. The core is the motor with an impressive 1,000 watts power. The noise level is reduced to a pleasant level in spite of increased power. The motor can be used in a hanging or lying position. Thanks to the robust construction of the suspension and shaft connection, it is optimally equipped for a hard day's work.

The matching joke Premium Plus handpieces fulfill all requirements which are expected of a modern handpiece. They lie comfortably and securely in the hand, muffle vibrations effectively and tire the worker's hand over long working periods. This is achieved by the uniformly narrow handle made of special rubber which is used in all handpieces. At least equally important: the inside. And also here high tech is the key. The handpieces are very robust and have a closed double bearing inside. The result is extremely quiet-running operation. Further advantages of the Premium Plus hand-pieces: changing the tool in seconds, without pinning.

The joke Premium Plus handpieces are available in a straight design or with a 90° angle head. The handpieces are of course also available in Rapid-Change design which connects to the motor system in a second. A closer look at the angle handpiece is worthwhile: the slim, almost filigree head gives you the opportunity of reaching and processing even otherwise difficult to access areas of the workpiece.

			Price from
		Order No.	1 piece
Motor jokeFlex Premium Plus			
-Jee	ft connection and suspension) pleasant noise nd hanging, compatible with foot controller  max. 22,000 1/min 1,000 W input, 700 W output 240 x 105 x 95 mm 2.1 kg 2.2 m Quick-Change	0 016 550	431.00€



				Price from
		Design	Order No.	1 piece
Advantage package jol	keFlex Premium Plus			
away includes: 1 x motor Premi 1 x foot controll 1 x flexible shaf	This advantage package for getting started straight away includes:	Rapid-Change	0 016 850R	849.00€
	1 x motor Premium Plus (Order No. 0 016 550) 1 x foot controller Premium (Order No. 0 016 600) 1 x flexible shaft Premium Plus 1.1 m length (Order No. 0 016 800, for Rapid-Change Order No. 0 016 900)	Standard	0 016 850	839.00€

				Price	from
			Order No.	1 pack	1 piece
Foot control Premium,	Motor system with flex	cible shaft			
	To adjust motor spe	eed by foot action	0 016 600		279.00 €
	Speed range:	3,000 to 22,000 1/min			
	Speed restriction:	the potentiometer can be used to limit maximum speed to between 10,000 to 22,000 rpm			
	Dimensions:	Ø 190 (230 with pedal) x 200 mm			
	Weight:	2 kg			
	Supply voltage:	230 volts, 50 Hz			
	Cable length:	2.8 m			
Suspension device G2,	height adjustable				
		kbench; clamping range: max. 70 mm between 700 and 1,100 mm	0 020 200		170.00 €
	· ,	cantilever arm adjustable by max. 300 mm			
	Lockable in any d	, ,			
	• Colour: blue/silve	•			
Spring clip, Standard					
4	Proven steel design	n, pack contents: 20 pieces	0 015 201	15.10 €	

# **Handpieces** joke Premium Plus

					Price from
			Туре	Order No.	1 piece
Handpiece joke Premium Plus					
	Rotational speed:	max. 22,000 1/min	Standard	0 030 200	214.00 €
	Collet: Dimensions: Weight:	GH (Ø 3 mm in scope of delivery) Ø 25 x 138 mm 160 g	Rapid-Change	0 030 200R	234.00 €
	Scope of delivery:	including tool set			

### \* Accessories / spare parts

			Price from	
	Dimensions	Order No.	1 piece	3 pieces
Collets, type GH				
	Ø 2.35 mm - 3/32"	0 030 010	8.10 €	
	Ø 3 mm	0 030 013	8.10 €	
	Ø 6 mm	0 030 016	8.10 €	
Driver				
•		0 030 205	33.75€	29.75 €
Connector plug				
( Tares		0 015 285	38.05€	34.65 €

					Price from
			Туре	Order No.	1 piece
Angle-Handpiece 90° joke Premium Pl	us				
•	Rotational speed:	max. 18,000 1/min, clockwise rotation	Standard	0 030 250	348.00 €
	Collet: Dimensions: Weight: Scope of delivery:	WH (Ø 3 mm in scope of delivery) Ø 26 x 165 mm (head Ø 17 x 27 mm) 170 g including tool set	Rapid-Change	0 030 250R	367.00€

			Price from	
	Dimensions	Order No.	1 piece	3 pieces
Collets, type WH				
	Ø 2.35 mm - 3/32"	0 031 301	10.90€	
	Ø 3 mm	0 031 302	10.90€	
Driver				
•		0 030 205	33.75€	29.75 €
Connector plug				
		0 015 285	38.05€	34.65 €



# **Handpieces** joke Classic-Line

					Price from
			Туре	Order No.	1 piece
Handpiece THSZ/N					
	Collet:	GH (Ø 3 mm in scope of delivery)	Standard	0 030 004	196.00 €
	Speed: Dimensions: Weight: Scope of delivery:	max. 18,000 1/min Ø 24 x 132 mm 120 g wrench, clamping pin	Rapid-Change	0 030 004R	216.00€

### \* Accessories / spare parts

			Price from	
	Dimensions	Order No.	1 piece	3 pieces
Collets, type GH				
	Ø 2.35 mm - 3/32"	0 030 010	8.10 €	
	Ø 3 mm	0 030 013	8.10€	
	Ø 6 mm	0 030 016	8.10€	
Driver			-	
		0 015 262	9.75€	8.75 €
Connector plug				
		0 015 261-1	33.05€	30.25 €

					Price from
			Туре	Order No.	1 piece
Angle-handpiece VTN-N 90°					
_	3		Standard	0 031 341	421.00€
	adjustment, clockwise Collet: Speed: Dimensions: Weight: Scope of delivery:	e rotation  WH (Ø 2.35 and Ø 3 mm in scope of delivery)  max. 18,000 1/min  Ø 24 x 175 mm (head Ø 17 x 30 mm)  185 g  tool kit	Rapid-Change	0 031 341R	451.00 €

			Price from	
	Dimensions	Order No.	1 piece	3 pieces
Collets, type WH				
	Ø 2.35 mm - 3/32"	0 031 301	10.90€	
	Ø 3 mm	0 031 302	10.90€	
Driver				
		0 015 264	10.15€	9.15 €
Connector plug				
		0 015 263	31.70€	29.15 €



# **Handpieces** joke Classic-Line

					Price from
			Туре	Order No.	1 piece
Angle-handpiece VTN-S/N					
	Collet:	GH (Ø 3 and Ø 6 mm in scope of delivery)	Standard	0 031 540	422.00 €
	Speed: Rotation: Dimensions: Weight: Scope of delivery:	max. 18,000 1/min clockwise Ø 24 x 171 mm (head Ø 24 x 40 mm) 240 g tool kit	Rapid-Change	0 031 540R	455.00 €

#### \* Accessories / spare parts

			Price f	rom
	Dimensions	Order No.	1 piece	3 pieces
Collets, type GH				
	Ø 2.35 mm - 3/32"	0 030 010	8.10 €	
	Ø 3 mm	0 030 013	8.10 €	
	Ø 6 mm	0 030 016	8.10 €	
Driver				
		0 031 563	22.10€	19.05 €
Connector plug				
		0 015 265	32.80 €	30.05 €

# Rapid-chuck handpiece TH-M II

This Rapid-chuck handpiece was designed for lighter jobs involving frequent tool changes. The selected tools are clamped in using the clamping lever fitted on the top.

					Price from
			Type	Order No.	1 piece
Rapid-chuck handpiece TH-M II					
Dimens	Collet:	TH (Ø 3 mm in scope of delivery) max. 15,000 1/min Ø 21.9 x 139 mm 107 g	Standard	0 030 640	143.30 €
	Speed: Dimensions: Weight:		Rapid-Change	0 030 640R	173.00€

			Price from	
	Dimensions	Order No.	1 piece	3 pieces
Collets, type TH				
	Ø 2.35 mm	0 030 641	25.10€	
	Ø 3 mm	0 030 642	25.10 €	
Driver				
		0 030 666	4.52 €	3.78 €
Connector plug				
		0 015 273	32.95€	30.15 €



### Hemisphere handpiece NHG-L



Easy change between right and left-handed use!

Our special recommendation for polishing jobs (for example, when using rings for finishing). The hemisphere attached to the handle provides a fatigue-free handrest and can be adapted for either right or left-handed users.

					Price from
			Туре	Order No.	1 piece
Hemisphere handpiece NHG-L					
<u> </u>		able angle head (70 mm), with 125° head	Standard	0 031 400	520.00€
	adjustment, anticlock Collet: Speed: Dimensions: Weight: Scope of delivery:	wise rotation WH max. 11,000 1/min Ø 18 x 190 mm (head Ø 18 x 30 mm) 250 g Collet Ø 3 mm, holder for ring Ø 12 mm, tool kit	Rapid-Change	0 031 400R	537.00€

			Price f	rom
	Dimensions	Order No.	1 piece	3 pieces
Collets, type WH				
	Ø 2.35 mm - 3/32"	0 031 301	10.90 €	
	Ø 3 mm	0 031 302	10.90 €	
Driver				
		0 015 256	9.45€	8.65 €
Connector plug				
		0 015 255	35.80 €	32.80 €



# **Hand-filing machines**DIPROFIL® Di-Pro • FXK-N • FPK/R

					Price from
			Туре	Order No.	1 piece
Hand-filing machine DIPROFIL® FPK/F	R, Mark II				
	Stroke length:	0 - 6 mm, (recommended 0.5 - 3 mm)	Standard	0 005 151-N	930.00€
	No. of strokes:	max. 8,000 strokes/min (5,000 - 6,000 strokes/min recommended) Ø 2 - 6.4 mm	Rapid-Change	0 005 151R-N	976.00€
	Tool receptacle:				
	Insertion depth:	40 mm			
	Vibration:	5.79 - 13.37 m/s <sup>2</sup>			
Minanti	Sound level:	< 70 dB(A) at 7,000 strokes/min			
11116111		(acc. to ISO 15744)			
	Weight:	575 g			
THE REAL PROPERTY.	Scope of delivery:	storage case, tool set, oil, extension tube/			
		finger protection bush, replacement friction			
		bearing and felts, lubricating oil			

### \* Accessories / spare parts

		Price f	rom
	Order No.	1 piece	3 pieces
Driver			
	0 015 252	33.35 €	30.55€
Connector plug			
	0 015 251	46.05 €	42.25€

					Price from
			Type	Order No.	1 piece
land-filing machine DIPROFIL® Di-P	ro FXK-N, Mark II				
No. of stro Tool recep	Stroke length:	0.5 - 6 mm	Standard	0 001 503-N	1591.00 €
	No. of strokes:	(recommended 0.5 - 3 mm) max. 7,000 strokes/min, (5,000 - 6,000 strokes/min recommended)	Rapid-Change	0 001 503R-N	1612.00 €
	Tool receptacle: Insertion depth:	Ø 2 - 6.4 mm 40 mm			
	Vibration:	1.55 - 5.08 m/s <sup>2</sup>			
1900	Sound level:	< 75 dB(A) at 7,000 strokes/min			
	Weight: Scope of delivery:	700 g Storage case, tool set, extension tube,			
		finger protection bush, counterweights replacement friction bearing and felts,			
		lubricating oil			

		Price from	
	Order No.	1 piece	3 pieces
Driver			
	0 015 252	33.35 €	30.55€
Connector plug			
Al-	0 015 251	46.05 €	42.25 €



**З** 

6



## Reducing sleeves to allow use of a smaller shaft diameter in larger collets

				Price from	
	Length A	Dimensions	Order No.	1 piece	5 pieces
Reducing bush RHB					
	28 mm	B Ø 3.0   C Ø 2.35 mm	0 545 287	16.50 €	15.05 €
Reducing bush with collar					
	25 mm	B Ø 3.0   C Ø 1.6 mm	0 010 583	18.30 €	15.20 €
		B Ø 3.0   C Ø 2.35 mm	0 010 588	18.30 €	15.20 €
		B Ø 6.0   C Ø 3.0 mm	0 545 288	7.95€	7.35 €







#### More reducing bushes on request!

Other reducing bushes in 0.1 mm decrements are available!

### **Quick coupling system** joke Rapid-Change

#### joke Rapid-Change

The revolution in secure, rapid handpiece changes. The joke Rapid-Change quick coupling system means you can change handpieces in just a few seconds: just pull out the old handpiece and push in the new one. Hey presto!

This system does not just optimise hand-piece changes however. It also means that you can work with joke Rapid-Change more safely and economically, because firstly, there is no longer any risk of injury from spring clips and secondly, repair costs are lower. A "Rapid-Change connection" between the hand-piece and the shaft simply lasts longer.

You can continue to use your existing hand-pieces. All you need is a conversion set and a coupling piece, which is simply fitted to the handpiece end of the flexible shaft.

When buying handpieces, you can choose between the standard design with spring clips and the version with the Rapid-Change connector.



		Price from		rom
		Order No.	1 piece	3 pieces
Rapid-Change coupling for jokeFlex Premium	n Plus			
	for mounting at the flexible shaft (handpiece end)	0 015 250	41.75€	38.75€





Handpiece conversion in just two steps:

